




Zähleranschlusssäule 2-feldrig, H=2010mm, 3.HZ, Haube geschl.

Artikel-Nr.: 7160150
Typ: ZSA202-2-ZK-SK-TSG-H

Pfalzwerke Netz Ludwigshafen u.a. und TAB-gleiche

Ausstattung

- Hausanschlusskasten NH00/3
- Anschlussraum 5 x Sammelschienen mit:
 - Anschlussklemme, Vorbereitung für Hauptsicherungsautomat
 - 1 x TSG-Absicherung D01 1-polig 10A, plombierbare Abdeckung
- Zählerplatte 450 x 250 mm mit IP54-Haube
- Anschlussraum und Nachverteilung
 - Hauptleitungsabzweigklemme 5-polig 25 mm² isoliert
- Verteilerfeld 2 x 2-reihig mit:
 - N- und PE-Klemmentür Verteilerfeld
- Freibereich (Leerplatz) ca. 550 x 250 mm für Nachrüstung
- Mit Doppelschloss inkl. 1 Zylinder eingebaut

Abmessungen

Breite	583 mm
Höhe	2010 mm
Tiefe	277,5 mm

Eigenschaften

Farbe	RAL 7035
Netzform	TN-C-S Netz

Zertifikate & Standards

REACH	ja
RoHS	ja / Ausnahme 6c

The diagram illustrates the electrical wiring for a TN-C-S system, showing the connection of the meter and transformer to the main supply lines. The main supply lines are L1, L2, L3, N, and PE. The meter (-P1 Zähler) is connected to the L1, L2, L3, and N lines. The transformer (XST) is connected to the L1, L2, L3, and N lines. The PE line is connected to the PE terminal of the meter and the PE terminal of the transformer. The diagram includes various components such as fuses (F1, F2), a switch (D01), and various cable types (H07VK-10mm², H07VK 1,5mm², NSGAFOU 4mm²). The diagram is labeled 'Max. 25mm²' and '1 Zählerplatz TN-C-S System + TSG Absicherung D01'.